

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMM United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
10/727,097	12/03/2003	Brian Eugene Baldwin	50012-00031	6053	
7590 07/09/2004 Marsh Fischmann & Breyfogle LLP			EXAMINER NASH, BRIAN D		
					Suite 411 3151 South Vaughn Way
Aurora, CA 80014			3721		
			DATE MAILED: 07/09/2004	DATE MAILED: 07/09/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/727,097	BALDWIN ET AL.			
		Examiner	Art Unit			
		Brian D Nash	3721			
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address			
THE I - Exter after - If the - If NC - Failu Any i	ORTENED STATUTORY PERIOD FOR REPLY MAILING DATE OF THIS COMMUNICATION. Insions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. In period for reply specified above is less than thirty (30) days, a reply experiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status						
1)	Responsive to communication(s) filed on	_•				
2a) <u></u>	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
3)□	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
5) 6) 7)	Claim(s) 1-22 is/are pending in the application.  4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed.  Claim(s) is/are rejected.  Claim(s) is/are objected to.  Claim(s) 1-22 are subject to restriction and/or expressions.					
Applicati	on Papers					
· · · · · · · · · · · · · · · · · · ·	The specification is objected to by the Examiner The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the c Replacement drawing sheet(s) including the correction	pted or b) objected to by the Edrawing(s) be held in abeyance. See	37 CFR 1.85(a).			
11) 🗌 .	The oath or declaration is objected to by the Exa	aminer. Note the attached Office	Action or form PTO-152.			
Priority u	nder 35 U.S.C. § 119					
12)[ / a)[	Acknowledgment is made of a claim for foreign    All b) Some * c) None of:  1. Certified copies of the priority documents  2. Certified copies of the priority documents  3. Copies of the certified copies of the priori application from the International Bureau ee the attached detailed Office action for a list of	have been received. have been received in Application ty documents have been receive (PCT Rule 17.2(a)).	on No d in this National Stage			
Attachment	(s)					
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date	4) Interview Summary ( Paper No(s)/Mail Dai 5) Notice of Informal Pa 6) Other:				

## **DETAILED ACTION**

## Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - Claims 1-13, drawn to a process for interconnecting syringe bodies to a belt and their subsequent handling, classified in class 53, subclass 492.
  - II. Claims 14-22, drawn to an apparatus for handling syringe bodies interconnected by a belt, classified in class 53, subclass 520.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions I and II are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the apparatus as claimed can be used to practice another and materially different process such as one that does not interconnect a belt to each of the syringe bodies, but rather one in which the syringe bodies are already connected.
- 3. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.
- 4. It is noted that claim 12 recites "an apparatus as recited in claim 11". Since claim 11 is directed to a process step and the body of claim 12 is also directed to a process step, then claim 12 has been treated as a process for restriction purposes. In the event applicant elects Group I,

Application/Control Number: 10/727,097

Art Unit: 3721

claim 12 must be amended to clearly set forth the invention or cancelled. The same is true for claim 13.

5. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

## Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brian Nash whose telephone number is (703) 305-4959. The examiner can normally be reached on Monday – Thursday from 8 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rinaldi I. Rada can be reached at 703 308-2187.

The fax number for this Group is:

703-872-9306

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-1148.

Brian D. Nash 28 June 2004

Rinaldi I. Rada Supervisory Patent Examiner

Group 3700